

Co-Codamol



The active substances in Co-codamol are paracetamol and codeine: analgesic drugs and reducing the incentives. Paracetamol reduces fever and blocks the pain signals that are sent to the brain.

Prices may vary slightly when paying.

Co-Codamol 30/500 mg 32 Effervescent tabl.	EUR56.5	Buy now
Co-Codamol 30/500 mg 100 Effervescent tabl.	EUR87.2	Buy now
Co-Codamol 30/500 mg 200 Effervescent tabl.	EUR108	Buy now
Co-Codamol 30/500mg 232 Effervescent	EUR116.2	Buy now
Co-Codamol 30/500 mg 30 tabl.	EUR61	Buy now
Co-Codamol 30/500 mg 100 tabl.	EUR95	Buy now
Co-Codamol 30/500 mg 200 tabl.	EUR118.2	Buy now
Co-Codamol 30/500 mg 230 tabl.	EUR129	Buy now
Co-Codamol 30/500 mg 100 caps.	EUR95	Buy now
Co-Codamol 15/500 mg 200 caps.	EUR116.2	Buy now
Co-Codamol 15/500 mg 100 Effervescent tabl.	EUR85.2	Buy now
Co-Codamol 15/500 mg 200 Effervescent tabl.	EUR106	Buy now
Co-Codamol 15/500 mg 100 tabl.	EUR93	Buy now
Co-Codamol 15/500 mg 200 tabl.	EUR116.2	Buy now
Co-Codamol 8/500 mg 32 caps.	EUR59.2	Buy now
Co-Codamol 8/500 mg 100 caps.	EUR91	Buy now
Co-Codamol 8/500 mg 100 orodispersible tabl.	EUR84	Buy now
Co-Codamol 8/500 mg 100 Effervescent tabl.	EUR84	Buy now
Co-Codamol 12.8/500 mg 20 tabl.	EUR58.2	Buy now
Co-Codamol 12.8/500 mg 30 tabl.	EUR60.2	Buy now
Co-Codamol 8/500 mg 100 tabl.	EUR91	Buy now
Co-Codamol 8/500 mg 30 tabl.	EUR59	Buy now
Co-Codamol 8/500 mg 32 Effervescent tabl.	EUR55	Buy now

Description

Product information that is Co-codamol? For what this micament is used how do you use Co-codamol? Dosage side effects when you should not take this micament? Pregnancy / capacitde drive / alcohol

What is Co-codamol?

The active substances in Co-codamol are the paracamol and the codne: analgiques micaments and attuant incentives. Paracamol down the fire and blocks the pain signals that are sent to the brain. Codne ensures that painful stimuli are decreased. These two substances form a powerful analgique that can be used for many situations.

For what this micament is used

Co-codamol is prescribed if other analgiques have no or not enough effect. This micament can utilis pour flu (mostly with complaints of cough), rheumatic pain, back pain, pain after surgery or due to an illness, ailments from te and other pains.

How do you use Co-codamol?

Co-codamol must prablement re taken before meals. Dissolve the comprimdans a half glass of water. Stir the solution well and drink it directly. Co-codamol is also available as comprimeffervescent. Also this must first re dissolved in a glass of water. Have you forgotten take Co-codamol? Then you can do it again. Please note that you must take Co-codamol intervals of at least 4 hours. Never take a double dose of Co-codamol. See the manual for more information on this subject.

Dosage

Co-codamol is available in various dosages. The process knows what variant helps you the best with your complaints. The usual dosage is as follows:

Adults: 1 2 tabs every 4 hours, with a maximum of 8 tabs per day.

Side effects

Co-codamol can sometimes give side effects. When you use this micament, you can suffer amongst others:

Constipation. It is possible the iter in large part to drink more than usual and by eating foods rich in fibre;
Drowsiness, ourdissements; Nauss. Refer to the documentation for a list full of contraindications, warnings and other side effects.

When shouldn't you take this micament?

Co-codamol is not an analgique appropripour everyone. Do not use this micament if you:

Hypersensitive to paracamol, codne or any of the other excipients; Suffer from a serious disorder of the brain, liver, kidneys and other organs; If you use or have used differently MAOIS (micaments against the dression); Have less than 12 years of e. Co-codamol can interact with other micaments. Using micaments; include it with your order so that the process can take it into account. In the notice, you can read more about contraindications and drug interactions.

Pregnancy / capacitde drive / alcohol

Co-codamol may, in pregnancy and lactation, re utilisque on the advice of the process. In any case, do not use this micament just before childbirth, because it may harm the new-n Co-codamol respiration can cause of ourdissements and cause drowsiness. Hold in account and not take part in traffic, if you suffer from any of these side effects. Alcohol increases the effects of the codne. Arrez or limit your consumption of alcohol, so that you have more need to use this micament.

Tags

buy Co-Codamol in Derry/Londonderry, buy Co-Codamol 8/500 mg 32 caps. in United Kingdom, buy Co-Codamol in England, buy Co-Codamol online without prescription, Co-Codamol online pharmacy, buy Co-Codamol 30/500 mg 100 tabl. in United Kingdom, buy Co-Codamol in Wales, Co-Codamol tablets online in United Kingdom, buy Co-Codamol online with no prescription, Co-Codamol alternatives, buy Co-Codamol in Scotland, buy Co-Codamol online in United Kingdom, buy Co-Codamol in Bradford, cheapest Co-Codamol online United Kingdom, generic Co-Codamol online, Co-Codamol fast delivery, buy Co-Codamol in London, Co-Codamol pills, Co-Codamol online United Kingdom, buy Co-Codamol in Northern Ireland, buy Co-Codamol in Birmingham, buy Co-Codamol in Cardiff, order Co-Codamol online in United Kingdom, buy Co-Codamol online mastercard, Co-Codamol online paypal, Co-Codamol for sale, buy Co-Codamol overnight, cheap Co-Codamol online United Kingdom,